

## WINDSHIELD WASHER FLUID DISPENSING COMPONENTS



Art. no. **1045** Art. no. **1071** 

Pneumatic piston pump with wetted parts in stainless steel, suitable for the dispensing of windshield washer fluid.

Short version (art. no. 1045) also suitable for wall mounting, version with two-parts plastic suction tube and suction foot valve with strainer (art. no. 1071) suitable for the use with 208 I- or 60 I- drums.

Art. no.	1045	1071		
Compressed air supply	Pressure min 2 bar, max 8 bar			
Compression ratio	1:1			
Outlet pressure	8 bar			
Delivery	35 l/min			
Connection compressed air	1/4" BSP (F)			
Connection fluid outlet	3/4" BSP (F)			
Max. air consumption with 8 bar pressure	210 l/min			
Length suction tube	260 mm	1000 mm / 1300 mm		
Gaskets	EPDM			
Weight	5 kg 5,2 kg			



Art. no. 2167

Plastic dispensing nozzle for windshield washer fluid with rigid outlet  $\emptyset$  16 mm, connection threads 1/2" BSP (F).

## Art. no. 2183

Dispensing nozzle for windshield washer fluid, body in anodized aluminium, impact resistant, with trigger guard, cartridge filter, gaskets in Viton® and stainless steel, connections 1/2" BSP (F), with 1/2" BSP (M) inlet swivel in stainless steel and rigid plastic outlet, Ø 16 mm.



Art. no. 2735

Electronic oval gears flow meter for windshield washer fluid, body in plastic with high density glass fibre IXEF, gears in PPS and PTFE, with plastic control gun, inlet swivel in stainless steel 1/2" BSP (M) and plastic rigid outlet, Ø 16 mm, with automatic anti-drip nozzle in stainless steel.

Art. no.	Max working pressure	Max flow rate	Accuracy	Connection threads	Weight	Dimensions (LxWxH) (mm)
2735	25 bar	30 l/min	+/- 0,5%	BSP 1/2"	1,5 Kg	95x95x460

